



### QUICK MAINTENANCE WITHOUT POWER INTERRUPTION

#### Easy switching to utility power during UPS maintenance


Designed for Uninterruptible Power Supply (UPS), the Maintenance Bypass PDU (MBP) Series allows utility power to bypass the UPS, so that users can perform quick and safe maintenance without having to shut down power system and connected equipment. The MBPs support flexible installation to meet different space requirement.

#### SERIES FEATURES

- 2U Rackmount
- Metal Housing
- Multiple Mounting Options
- Rack Ears Included
- Cascading Design

#### PRODUCT CALLOUTS

1. Maintenance Bypass Switch
2. UPS Input Connector
3. UPS Output Connector
4. Input Terminal Block
5. Output Terminal Block
6. AC Outlet
7. Output Circuit Breaker





## TECHNICAL SPECIFICATIONS

Model Name	MBP60AHVIEC82U
<b>General</b>	
Compatible Models	OLS6000ERT6U, OLS10000ERT6U, BPSE240V75ART3U, BPSE240V75ART3UOA, OLS6000ERT6UM, OLS10000ERT6UM
<b>Input</b>	
Input Voltage Range (Vac)	220 - 240
Rated Input Current (A)	60
Utility Power	Hardwire Terminal Block
UPS Power Input	AC Connector
UPS Outlet	AC Connector
<b>Output</b>	
Outlet Type	Hardwire Terminal Block x 1, IEC C13 x 4, IEC C19 x 4
Typical Transfer Time (ms)	0
Cascading	Yes, Hardwire Terminal Block Outlet
<b>Physical</b>	
Form Factor	2U Rackmount
Enclosure Construction	Metal
Colour	Black
Installation	Multi-Position Mountings
Installation Attached to Rack/Tower UPSs	Yes
<b>Physical Size</b>	
Dimensions (WxHxD) (mm.)	288 x 88 x 141
Weight (kg.)	2.8
<b>Shipping Dimensions</b>	
Dimensions (WxHxD) (mm.)	329 x 125 x 229
Weight (kg.)	3.89
<b>Environmental</b>	
Operating Temperature (°C)	0 - 40
Operating Relative Humidity (Non-condensing) (%)	0 - 90
Operating Elevation (feet/meters)	0-9,843 feet (0-3,000 meters)
Storage Temperature (°C)	-15 - 45
<b>Certifications</b>	
Certifications*	CE
RoHS	Yes

\*Certifications may vary according to different regions. Visit [www.cyberpower.com](http://www.cyberpower.com) for more information.  
 #All specifications are subject to change without notice.